

L Number	Hits	Search Text	DB	Time stamp
3	2	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:39
4	2	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside and client with outside	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:37
7	24	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside and (client user customer) with outside	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:50
8	24	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside and (client user customer) with outside and pd<=19991229	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:47
9	24	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside and (client user customer) with outside and ad<=19991229	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:47
10	24	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside and (client user customer) with outside and fd<=19991229	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:47
11	21	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:51
12	7	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first with proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:51
13	0	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first adj proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:51
14	5	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first near2 proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:52
15	1	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first near2 proxy and second near2 proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:52

16	4	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first near2 proxy and second with proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:56
17	2	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first near2 proxy and second with proxy and data with connection	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 11:03
18	1	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first near2 proxy and second with proxy and data with connection and proxy with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:20
21	1	"20020169980" and data with connection	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 12:27
24	1	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first near2 proxy and second with proxy and data with connection and proxy with request and url	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:20
25	0	access with server and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall and proxy with outside with firewall and (client user customer) with outside with firewall and first near2 proxy and second with proxy and data with connection and proxy with request and url with (conver\$4 translat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:20
29	5	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link and url	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:21
30	3	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link and url with (translat\$4 conver\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:28
31	0	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link and url with (translat\$4 conver\$4) and url with connect\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:28

32	0	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link and url with (translat\$4 conver\$4) and url with establish\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:29
33	2	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link and url with (translat\$4 conver\$4) and url with link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:29
-	1000	access with server with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:12
-	32	access with server with firewall and receiv\$4 with proxy with connect\$4 with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:05
-	212	receiv\$4 with proxy with connect\$4 with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:10
-	32	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:05
-	14	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:09
-	1	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and first adj proxy and second adj proxy and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:07
-	2	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and first adj proxy and second adj proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:08
-	3	(access with server with firewall) and (receiv\$4 with proxy with connect\$4 with request) and authenticat\$4 with client and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:11
-	1127	receiv\$4 with proxy and connect\$4 with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:10
-	5	(access with server with firewall) and (receiv\$4 with proxy and connect\$4 with request) and authenticat\$4 with client and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:20
-	53	access with server with inside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:12
-	28	access with server with inside with firewall and proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:12
-	24	access with server with inside with firewall and proxy and connect\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:13

-	8	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:19
-	7	access with server with inside with firewall and proxy and connect\$4 and authenticat\$4 with (client user customer) and inside adj firewall and outside adj firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 10:37
-	8	(access with server with firewall) and (receiv\$4 with proxy and connect\$4 with request) and authenticat\$4 with (client user customer) and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:20
-	1	"20020169980"	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 12:27
-	0	"20020169980" and ("6334056" "6088796" "6463418").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:30
-	4	"20020169980" ("6334056" "6088796" "6463418").pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:30
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:31
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:32
-	3	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside adj firewall and outside adj firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:31
-	3	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside adj firewall and outside adj firewall and connect\$4 with request\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:32
-	3	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside adj firewall and outside adj firewall and connect\$4 with request\$4 and receiv\$4 with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:32
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:33
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:34
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:34
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receiv\$4 with request and authenticat\$4 with (client user customer) and first adj proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:35

-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and (receive\$4 get\$4 send\$4 sent) with proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:36
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and receive\$4 with proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:36
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and receive\$4 same proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:37
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and hyperlink	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:40
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and hyperlink	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:40
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and hyperlink	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:40
-	1	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and translat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and translat\$4 and document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:41
-	39526	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy hyper\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:42

-	2	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and hyper\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 09:42
-	4	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 11:59
-	0	("20020169980" ("6334056" "6088796" "6463418").pn.) and firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and (translat\$4 conver\$4) with hyper\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:00
-	3	firewall and inside with firewall and outside with firewall and connect\$4 with request\$4 and receive\$4 with request and authenticat\$4 with (client user customer) and proxy and (translat\$4 conver\$4) with hyper\$5	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:02
-	0	firewall and authenticat\$4 with (client user customer) and proxy and document with hyper\$link and (translat\$4 conver\$4) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:03
-	40	firewall and authenticat\$4 with (client user customer) and proxy and document with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:04
-	0	firewall and authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link with (translat\$4 conver\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:04
-	2	firewall and authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link same (translat\$4 conver\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:08
-	76	authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link same (translat\$4 conver\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:08
-	0	authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link adj (translat\$4 conver\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:08
-	71	authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link with (translat\$4 conver\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:09
-	0	authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link with (translat\$4 conver\$5) and (re\$write substitut\$4 re\$rou\$4) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:10
-	2	authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link with (translat\$4 conver\$5) and (chang\$4 re\$direct\$4 modif\$4) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:10
-	1	authenticat\$4 with (client user customer) and proxy and document with hyper\$link and hyper\$link with (translat\$4 conver\$5) and (chang\$4 re\$direct) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:12

-	27	document with hyper\$link and hyper\$link with (translat\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:13
-	15	document with hyper\$link and hyper\$link with (translat\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:14
-	35	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 12:15
-	8	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/01/13 13:21
-	0	document with hyper\$link and hyper\$link with (translat\$4 re\$writ\$4 chang\$4 modif\$4 conver\$5) and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link and hyper\$link with secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:16
-	0	document with hyper\$link and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 with hyper\$link and hyper\$link with secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:17
-	0	document with hyper\$link and (chang\$4 re\$direct substitut\$4 re\$writ\$4 modif\$4 replac\$4) with hyper\$link and pars\$4 and hyper\$link with secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:17
-	62	hyper\$link with secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:19
-	8	hyper\$link adj secur\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:17
-	3	hyper\$link adj secur\$4 with (information data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:18
-	3	hyper\$link adj secur\$4 with (information data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:18
-	22	hyper\$link with secur\$4 with (information data)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:19
-	3	hyper\$link with secur\$4 with (information data) and document and (translat\$4 re\$writ\$4 conver\$4 chang\$4 modif\$4) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:23
-	6	hyper\$link with secur\$4 with (information data) and document and (translat\$4 re\$writ\$4 conver\$4 chang\$4 modif\$4 substitut\$4 replac\$4) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:26
-	6	hyper\$link with secur\$4 with (information data) and document and (translat\$4 re\$writ\$4 conver\$4 chang\$4 modif\$4 substitut\$4 replac\$4 re\$do\$4) with hyper\$link	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:26
-	16	hyper\$link with secur\$4 with (information data) and document	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/08/01 13:28

-	3	hyper\$link adj secur\$4 with (information data) and document	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/08/01 13:28
---	---	---	---	---------------------